



Product Service

Attestation of Conformity

No. N8A 001783 0002 Rev. 04

Holder of Attestation: **Dongying Dahai Kelin Solar Power Co., Ltd**

Yankou Village, Daozhuang Town, Guangrao County
257336 Dongying City, Shandong Province
PEOPLE'S REPUBLIC OF CHINA

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-crystalline Silicon Photovoltaic Module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 882161819008

Date, 2024-01-05

(Xinlian LUO)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

**TUV®**



Product Service

Attestation of Conformity

No. N8A 001783 0002 Rev. 04

Model(s):

1000V DC Single Glass Module Types

DHM60-XXX (XXX=275-315, in step of 5)
 DHM72-XXX (XXX=335-380, in step of 5)
 DHM60H-XXX (XXX=285-325, in step of 5)
 DHM72H-XXX (XXX=345-395, in step of 5)
 DHM72T20-xxx/MR (XXX=435-455, in step of 5)
 DHM72T30-XXX/MR (XXX=535-550, in step of 5)
 DHM60T20-XXX/MR (XXX=365-380, in step of 5)
 DHM60T30-XXX/MR (XXX=445-460, in step of 5)
 DHM54T30-XXX/MR (XXX=390-415, in step of 5)
 DHM72T25-XXX/MR (XXX=435-455, in step of 5)
 DHM60T25-XXX/MR (XXX=365-380, in step of 5)

1500V DC Double Glass Module Types :

DHM72D20-XXX/MR (XXX=445-460, in step of 5)
 DHM72D30-XXX/MR (XXX=535-555, in step of 5)
 DHM60D20-XXX/MR (XXX=370-385, in step of 5)
 DHM60D30-XXX/MR (XXX=445-465, in step of 5)
 DHM66D50-XXX/MR (XXX=645-680, in step of 5)
 DHM60D50-XXX/MR (XXX=590-615, in step of 5)
 DHM55D50-XXX/MR (XXX=530-555, in step of 5)
 DHM50D50-XXX/MR (XXX=490-515, in step of 5)
 DHM72D30-XXX/TP (XXX=560-585, in step of 5)
 DHM72D35-XXX/TP (XXX=560-585, in step of 5)
 DHM66D30-XXX/TP (XXX=510-535, in step of 5)
 DHM66D35-XXX/TP (XXX=510-535, in step of 5)
 DHM60D30-XXX/TP (XXX=460-490, in step of 5)
 DHM60D35-XXX/TP (XXX=460-490, in step of 5)
 DHM54D30-XXX/MR (XXX=405-430, in step of 5)
 DHM54D35-XXX/MR (XXX=400-425, in step of 5)
 DHM54D30-XXX/TP (XXX=415-440, in step of 5)
 DHM54D35-XXX/TP (XXX=410-435, in step of 5)
 DHM66D60-XXX/TP (XXX=585-610, in step of 5)
 DHM60D60-XXX/TP (XXX=535-555, in step of 5)
 DHM48D60-XXX/TP (XXX=420-445, in step of 5)
 DHM66D65-XXX/TP (XXX=585-610, in step of 5)
 DHM60D65-XXX/TP (XXX=535-555, in step of 5)
 DHM48D65-XXX/TP (XXX=420-445, in step of 5)
 DHM66D30-XXX/MR (XXX=490-510, in step of 5)
 DHM66D35-XXX/MR (XXX=490-510, in step of 5)
 DHM60D35-XXX/MR (XXX=445-465, in step of 5)

1500V DC Single Glass Module Types :

DHM66T50-XXX/MR (XXX=645-670, in step of 5)
 DHM60T50-XXX/MR (XXX=585-610, in step of 5)
 DHM55T50-XXX/MR (XXX=530-555, in step of 5)
 DHM50T50-XXX/MR (XXX=485-510, in step of 5)
 DHM72T31-XXX/MR (XXX=535-550, in step of 5)
 DHM60T31-XXX/MR (XXX=445-460, in step of 5)
 DHM54T31-XXX/MR (XXX=390-415, in step of 5)
 DHM54T35-XXX/MR (XXX=390-415, in step of 5)

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 001783 0002 Rev. 04

DHM60T35-XXX/MR (XXX=445-460, in step of 5)
 DHM72T35-XXX/MR (XXX=535-550, in step of 5)
 DHM54T31-XXX/TP (XXX=410-435, in step of 5)
 DHM60T31-XXX/TP (XXX=455-485, in step of 5)
 DHM72T31-XXX/TP (XXX=555-585, in step of 5)
 DHM54T35-XXX/TP (XXX=410-435, in step of 5)
 DHM60T35-XXX/TP (XXX=455-485, in step of 5)
 DHM72T35-XXX/TP (XXX=555-585, in step of 5)
 DHM66T31-XXX/MR (XXX=490-510, in step of 5)
 DHM66T31-XXX/TP (XXX=510-535, in step of 5)
 DHM66T35-XXX/MR (XXX=490-510, in step of 5)
 DHM66T35-XXX/TP (XXX=510-535, in step of 5)
 DHM66T60-XXX/TP (XXX=585-610, in step of 5)
 DHM60T60-XXX/TP (XXX=535-555, in step of 5)
 DHM48T60-XXX/TP (XXX=420-445, in step of 5)
 DHM66T65-XXX/TP (XXX=585-610, in step of 5)
 DHM60T65-XXX/TP (XXX=535-555, in step of 5)
 DHM48T65-XXX/TP (XXX=420-445, in step of 5)
 XXX is standing for rated output power at STC

Parameters:

Construction: Framed, with Junction box, Cable and Connectors
 Test Laboratory: Tianjin CETC New Energy Research Institute Co., Ltd.
 (NO.6 Huake seven RD, Haitai street, Xiqing District, Tianjin, 300384, China)
 Safety Class: Class II
 Maximum System Voltage: 1000V DC or 1500V DC
 Fire Safety Class: Class C according to UL790

Tested

according to:

EN IEC 61730-1:2018
 EN IEC 61730-2:2018
 EN IEC 61730-1:2018/AC:2018-06
 EN IEC 61730-2:2018/AC:2018-06

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®