

Dichiarazione di performance

Declaration of performance

Il Fabbrikante: Tecnosystemi S.p.A. Società Benefit
The Manufacturer: Via dell'Industria, 2/4
31029 Vittorio Veneto (TV) - ITALY

dichiara che i prodotti: Vedi Allegato 1
declares that the products: See Annex 1

sono idonei all'impiego al quale sono destinati, ovvero a sostenere le unità esterne motocondensanti, VRV, VRF, caldaie a basamento secondo il carico di portata massimo indicato in Allegato 1.

are suitable for the use for which they are intended, i.e. to support outdoor condensing units, VRV, VRF, floor-standing boilers according to the maximum capacity load indicated in Annex 1.

La presente dichiarazione di conformità è rilasciata sotto la responsabilità esclusiva del fabbricante.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Luogo, data: Vittorio Veneto,
Place, date 02/08/2023

Firmato a nome e per conto di:
Signed for and on behalf of:

Tecnosystemi S.p.A. Società Benefit

Nome: ANNA MUNARI
Name:

Funzione: Legale Rappresentante
Function: Legal Representative

Allegato 1

Annex 1

Codice prodotto <i>Part Number</i>	Descrizione ITA	Description ENG	Portata max. <i>Max. load</i> [kg]
SCD500153	EXTREME 100 - 8" 600 - BASE A PAVIMENTO (CONF. 3 PZ.)	SBR "EXTREME-8" 600 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	500
SCD500235	EXTREME 100 - 8" 600 - BASE A PAVIMENTO (CONF. 3 PZ.)	SBR "EXTREME-8" 600 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	500
SCD500236	EXTREME 100 - 20" 600 - BASE A PAVIMENTO (CONF. 3 PZ.)	EXTREME 100 - 20" 600 - Rubber foot (Set of 3 pcs)	500
SCD500154	EXTREME 100 - 20" 600 - BASE A PAVIMENTO (CONF. 3 PZ.)	EXTREME 100 - 20" 600 - Rubber foot (Set of 3 pcs)	500
11105060	EXTREME 100 - 8" 250 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-8" 250 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	200
11105062	EXTREME 100 - 8" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-8" 450 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	300
SCD500237	EXTREME 100 - 8" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-8" 450 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	300
11105064	EXTREME 100 - 8" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-8" 600 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	500
SCD500238	EXTREME 100 - 8" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-8" 600 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	500
11105066	EXTREME 100 - 8" 1000 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-8" 1000 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	650
11105068	EXTREME 100 - 8" 1200 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-8" 1200 - FOOT MOUNT WITH ALU PROFILE, FIXING BOLT, WASHER AND NUT M8	750
SCD500071	EXTREME 70 - 8" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	"EXTREME 70 - 8" 450 - FOOT MOUNT	300
SCD500072	EXTREME 70 - 8" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	"EXTREME 70 - 8" 600 - FOOT MOUNT	500
11105060V	EXTREME 100 - 20" 250 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-20" 250 - FOOT MOUNT WITH ALU PROFILE, THREADED PLATE TYPE B, WASHER AND NUT M8	200
11105062V	EXTREME 100 - 20" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-20" 450 - FOOT MOUNT WITH ALU PROFILE, THREADED PLATE TYPE B, WASHER AND NUT M8	300
SCD500241	EXTREME 100 - 20" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-20" 450 - FOOT MOUNT WITH ALU PROFILE, THREADED PLATE TYPE B, WASHER AND NUT M8	300
11105064V	EXTREME 100 - 20" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-20" 600 - FOOT MOUNT WITH ALU PROFILE, THREADED PLATE TYPE B, WASHER AND NUT M8	500
SCD500242	EXTREME 100 - 20" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-20" 600 - FOOT MOUNT WITH ALU PROFILE, THREADED PLATE TYPE B, WASHER AND NUT M8	500
11105066V	EXTREME 100 - 20" 1000 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-20" 1000 - FOOT MOUNT WITH ALU PROFILE, THREADED PLATE TYPE B, WASHER AND NUT M8	650
11105068V	EXTREME 100 - 20" 1200 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-20" 1200 - FOOT MOUNT WITH ALU PROFILE, THREADED PLATE TYPE B, WASHER AND NUT M8	750

TECNOSYSTEMI S.p.A. Società Benefit

Via dell'Industria, 2/4 - Z.I. San Giacomo di Veglia 31029
 Vittorio Veneto (TV)
 Tel. +39 0438.500044 - Fax +39 0438.501516
 email: info@tecnosystemi.com
 C.F. - P.IVA - R.I. TV 02535780247
 Cap. Soc. € 5.000.000,00 i.v.
 Iscr. Registro A.E.E. IT0901000005749 PILE IT17030P00004435



Tecnosystemi[®] group

PRODUZIONE ACCESSORI PER CONDIZIONAMENTO - VENTILAZIONE - FOTOVOLTAICO - RISCALDAMENTO
MANUFACTURING OF ACCESSORIES FOR AIR CONDITIONING - VENTILATION - PHOTOVOLTAIC - HEATING



Codice prodotto <i>Part Number</i>	Descrizione ITA	Description ENG	Portata max. <i>Max. load</i> [kg]
SCD500073	EXTREME 70 - 20" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	EXTREME 70 - 20 450 - FOOT MOUNT	300
SCD500074	EXTREME 70 - 20" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	EXTREME 70 - 20 600 - FOOT MOUNT	500
11105059	EXTREME 100-A" 250 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-A" 250 - FOOT MOUNT W/O ALU PROFILE	200
SCD500245	EXTREME 100-A" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-A" 450 - FOOT MOUNT W/O ALU PROFILE	300
SCD500246	EXTREME 100-A" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-A" 600 - FOOT MOUNT W/O ALU PROFILE	500
11105071	EXTREME 100-A" 1000 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-A" 1000 - FOOT MOUNT W/O ALU PROFILE	650
11105072	EXTREME 100-A" 1200 - BASE A PAVIMENTO (CONF. 2 PZ.)	SBR "EXTREME-A" 1200 - FOOT MOUNT W/O ALU PROFILE	750
SCD500075	EXTREME 70 - A" 450 - BASE A PAVIMENTO (CONF. 2 PZ.)	EXTREME 70 - A 450 - FOOT MOUNT	300
SCD500076	EXTREME 70 - A" 600 - BASE A PAVIMENTO (CONF. 2 PZ.)	EXTREME 70 - A 600 - FOOT MOUNT	500